

Ausführung
► Kugelgestrahlt und gehärtet aus hochwertigem Werkzeugstahl

Anwendung



Verpackung



SDS-plus
SDS-max
SDS-top

■ 153



Antrieb



L1



12345

EAN

4016707

€

L1 B



12345

EAN

4016707

€



SDS-plus
HILTI TE-C ohne
Drehabtschaltung



250 273 300 250 260117



SDS-plus
HILTI TE-C



140 273 300 140 260254
250 273 300 251 260100

140 20 274 320 140 260261
250 20 274 320 251 260131



SDS-top
HILTI TE-T



270 273 200 270 260209

270 20 274 220 270 260216



SDS-max
HILTI TE-Y



280 273 001 280 260018
400 273 001 400 260025
600 273 001 600 260032

280 25 274 001 280 260049
400 25 274 001 400 260056
600 25 274 001 600 260063



SW 21 Ø 19 x 61 mm

300 273 700 300 267017
380 273 700 380 267024
450 273 700 460 267031


300 25 274 725 300 267079
380 25 274 725 380 267086
460 25 274 725 460 267093



SW 19

300 273 500 300 265013
400 273 500 400 265020

300 25 274 525 300 265068
400 25 274 525 400 265075



SW 29

400 273 430 400 266010

400 35 274 435 400 266027



SW 30 Ø 24 x 55 mm

400 273 730 400 266102

400 32 274 732 400 266119


Spatmeißel

Hohlmeißel

Ausführung

► Kugelgestrahlt und gehärtet aus hochwertigem Werkzeugstahl

Anwendung



Verpackung



SDS-plus
SDS-max
SDS-top

■153



Spatmeißel 275



Hohlmeißel 276



Antrieb



SDS-plus
HILTI TE-C



140
250

40
40

275 340 140
275 340 251

260278
260148

250

22

276 322 251

260155



SDS-top
HILTI TE-T



250

40

275 240 250

260230



SDS-max
HILTI TE-Y



300
400

80
50

275 001 300
275 001 400


260070
260087

300

26

276 001 300

260094



Kango 900, 900x, 950,
950x; Hitachi DH 50 SA,
DH 38; Makita 3850 K,
HR 5000K, MK 1200K

SW 21 Ø 19 x 61 mm

380
380

50
80

275 750 380
275 780 380

267123
267130



Bosch Typ USH
10, HSH 10

SW 19

400

50

275 550 400

265112



Bosch GSH27,
USH27, HSH28

SW 28

400

80

275 480 400

266034



Makita HM1300, HM1303,
HM1304, HM 1400,
HM1500, 8900N - HI-
TACHI H65SB, H70SA

SW 30 Ø 24 x 55 mm

400

75

275 775 400

266126

Uni-Kanalmeißel Fliesenmeißel


Ausführung

- Kugelgestrahlt und gehärtet aus hochwertigem Werkzeugstahl

Anwendung



Verpackung



SDS-plus
SDS-max
SDS-top

153

Antrieb



SDS-plus
HILTI TE-C



SDS-max
HILTI TE-Y




Uni-Kanalmeißel

277




Fliesenmeißel

279



250 22 277 322 251 260179



200 40 279 340 251 260162

380 35 277 001 380 260186

300 50 279 001 300 260193